

SAFETY DA

Skin contact	Remove contaminated clothing and shoes. Wash off immediately with soap and plenty of water. Get medical attention if irritation develops or persists. Wash clothing separately before reuse. Destroy or thoroughly clean contaminated shoes. If high pressure injection under the skin occurs, always seek medical attention.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.
Ingestion	Rinse mouth thoroughly. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content does not get into the lungs. Do not give mouth-to-mouth resuscitation. Get medical attention immediately.
Most important symptoms/effects, acute and delayed	Decrease in motor functions. Narcosis. Unconsciousness. Defatting of the skin.
Indication of immediate medical attention and special treatment needed	In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	
Suitable extinguishing media	Water spray. Water fog. Dry chemical powder. Carbon dioxide (CO ₂)

Environmental precautions

9. Physical and chemical properties

Appearance

Red liquid.

Eye contact

May cause eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Decrease in motor functions. Narcosis. Unconsciousness. Defatting of the skin.

Information on toxicological effects**Acute toxicity**

In high concentrations, vapors and spray mists are narcotic and may cause headache, fatigue, dizziness and nausea.

Components**Species****Test Results**

Country(s) or region

Inventory